

## WEST Search History





DATE: Wednesday, March 30, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L23	L22 and ((argon or Ar) with (helium or He) with (nitrogen or 'N.sub.2'))	1
<input type="checkbox"/>	L22	5788778.pn.	1
	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L21	L20 and ((argon or Ar) with (helium or He) with (nitrogen or 'N.sub.2'))	12
<input type="checkbox"/>	L20	Applied Komatsu Technology	89
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L19	5778778.pn.	1
<input type="checkbox"/>	L18	5788788.pn.	1
<input type="checkbox"/>	L17	L16 and ((argon or Ar) with (helium or He) with (nitrogen or 'N.sub.2'))	1
<input type="checkbox"/>	L16	6274058.pn.	1
<input type="checkbox"/>	L15	L13 and ((argon or Ar) same (helium or He) same (nitrogen or 'N.sub.2'))	0
<input type="checkbox"/>	L14	L13 and ((argon or Ar) with (helium or He) with (nitrogen or 'N.sub.2'))	0
<input type="checkbox"/>	L13	5778788.pn.	1
	<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L12	((argon or Ar) with (helium or He) with (nitrogen or 'N.sub.2')) same ((etch\$3 or clean\$3) adj7 chamber) same plasma	3
	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L11	((argon or Ar) with (helium or He) with (nitrogen or 'N.sub.2')) same ((etch\$3 or clean\$3) adj7 chamber) same plasma	99
<input type="checkbox"/>	L10	(argon or Ar) with (helium or He) with (nitrogen or 'N.sub.2') with ((etch\$3 or clean\$3) adj7 chamber) with plasma	7
<input type="checkbox"/>	L9	(argon or Ar) with (helium or He) with (nitrogen or 'N.sub.2') with (etch\$3 or clean\$3) with plasma with chamber	40
<input type="checkbox"/>	L8	L7	1
<input type="checkbox"/>	L7	12 and (Ar or argon or He or helium)	1
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L6	6644324.pn.	1
	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L5	L4 and 11	2
<input type="checkbox"/>	L4	134/1.1,22.1,22.18,902;216/63,67;438/905.ccls.	5690
	<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L3	((nitrous oxide) or 'N.sub.2O')with ((nitrogen trifluoride) or 'NF.sub.3')) same	1

plasma

*DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ*

- |                          |    |   |    |
|--------------------------|----|---|----|
| <input type="checkbox"/> | L2 | L1 same ((clean\$3 or etch\$3) with (chamber or apparatus ))                                | 4  |
| <input type="checkbox"/> | L1 | (((nitrous oxide) or 'N.sub.2O')with ((nitrogen trifluoride) or 'NF.sub.3')) same<br>plasma | 29 |

END OF SEARCH HISTORY